ITEM	QTY	DESCRIPTION	
1	1	POD ASSEMBLY	
2	1	OUTER BOX ASSEMBLY	
3	1	SWING MECHANISM	
4	1	TUNNEL ASSEMBLY	
5	1	LIFTING MOTOR ASSEMBLY	
6	1	PROPELLER 1	
7	1	PROPELLER 2	
26	1	Clevis pins with head	
27	1	LINEAR ACTUATOR	


70° MAX

## NOTE:

• Swing mechanism can be mounted either side of the outer box assembly

THIS THRUSTER REQUIRES A SUITABLY SIZED LIQUID COOLING SYSTEM FOR THE MAIN DRIVE MOTOR.

NOMINAL PROP DIA	300mm
POWER RANGE	25-36kw (34-48hp)
MIN / MAX THRUST	300-432kgf (661-952lbf)
/EIGHT APPROXIMATELY	201kg (444lb)



477 MAX DEPLOYED

Ø313

Ø296

TUNNEL O.D.

TUNNEL I.D.



Title		Revision
SWING THRUSTER - ELECTRIC		3
Drawing No.	Data Dunium	By.

Drawing No.

E-0300-S

Date Drawn
By
17/01/2019
LR

Tel: +44 (0)1202 596630 www.oms.ltd © Copyright. All rights to this drawing and design are the sole property of OMS Ltd. This drawing must not be copied, communicated or loaned to any third party without the written consent of OMS Ltd.